












ANGLES FOR SINGLE AXLE









SKU: N/A | **Categories:** [Undercarriage](#) |

VARIATIONS

| Image | SKU | Description | Type: |
|---|--------|---|------------------------------------|
|  | PK2513 | SPECS SKU: PK2513 Type: 38"ADJ.U/C ANGLE/SNG 14"ALUM-OUTSIDE Fits: 14" Tires Material: Galvanized Length: 38" Long Step Size: 10" ALUM STEP PADS | PK2513-38"ADJ.U/C ANGLE/SNG |
|  | PK2260 | SPECS SKU: PK2260 Type: 38" ANGLE W/FENDER BRKTS-RH Fits:10" and 12" Tire Material:Galvanized Length:38" Side:Right | PK2260-38" ANGLE W/FENDER BRKTS |
|  | PK2250 | SPECS SKU: PK2250 Type: 38" ANGLE W/FENDER BRKTS-LH Fits:10" and 12" Tire Material: Galvanized Length: 38" Side: Left | PK2250-38" ANGLE W/FENDER BRKT |

| Image | SKU | Description | Type: |
|--|--------|---|------------------------------------|
|  | PK2262 | SPECS SKU: PK2262 Type: 38" ANGLE W/FNDR BRKT [WELDED LOW] Material: Galv Length: 38" | PK2262-38" ANGLE W/FNDR BRKT [LOW] |
|  | PK2350 | SPECS SKU: PK2350 Type: 38" ANGLE-8" STEP 13" TIRE-LH Material: Galv Length: 38" Steps: 8" Side: Left Hand | PK2350-38" ANGLE-8" STEP LH |
|  | PK2360 | SPECS SKU: PK2360 Type: 38" ANGLE-8" STEP 13" TIRE-RH Material: Galv Length: 38" Steps: 8" Side: Right Hand | PK2360-38" ANGLE-8" STEP RH |
|  | PK2400 | SPECS SKU: PK2400 Type: 38" ANGLE-12" STEP 13" TIRE-LH Material: Galv Length: 38" Steps: 12" Side: Left Hand | PK2400-38" ANGLE-12" STEP LH |
|  | PK2410 | SPECS SKU: PK2410 Type: 38" ANGLE-12" STEP 13" TIRE-RH Material: Galv Length: 38" Side: Right Hand Steps: 12" | PK2410-38" ANGLE-12" STEP RH |
|  | PK2450 | SPECS SKU: PK2450 Type: 38" ANGLE-8" STEP 14" TIRE-LH Material: Galv Side: Left Hand Legth: 38" Steps: 8" | PK2450-38" ANGLE-8" STEP-LH |
|  | PK2460 | SPECS SKU: PK2460 Type: 38" ANGLE-8" STEP 14" TIRE-RH Material: Galv Side: Right Hand Length: 38" Steps: 8" | PK2460-38" ANGLE-8" STEP-RH |
|  | PK2500 | SPECS SKU: PK2500 Type: 38" ANGLE-12" STEP 14" TIRE-LH Material: Galv Length: 38" Steps: 12" Side: Left Hand | PK2500-38" ANGLE-12" STEP-LH |

| Image | SKU | Description | Type: |
|--|-----|-------------|---------------------------------------|
|  | | | PK2510-38" ANGLE-12" STEP-RH |
|  | | | PK2320-38" ANGLE-NO STEP-R/H |
|  | | | PK2321-38" ANGLE-NO STEP-L/H |
|  | | | PK2519-UNIVERSAL 41" ANGLE W/12" STEP |
|  | | | PK2730-CUSTOM U/C ANGLE 14" R/H |
|  | | | PK2740-CUSTOM U/C ANGLE 14" L/H |

1

